Japanese Laid-open Utility Model Publication Sho 57-186227

③Utility Model Registration Claim

A sharpener for a saw chain in which a round type emery grinder of 3 mm to 10 mm is rotated by a small-sized motor, and an angle adjustment plate is fixed in alignment with a sharpening angle of the saw chain so as to sharpen blades of the saw chain at a certain angle.

BEST AVAILABLE COPY

19 日本国特許庁 (JP).

①実用新案出願公開

⑩ 公開実用新案公報 (U)

昭57—186227

⑤Int. Cl.³B 23 D 63/16

識別記号

庁内整理番号 7336-3C 砂公開 昭和57年(1982)11月26日

審査請求 未請求

(全 2 頁)

タヤスリノいらないソーチエンの目立機

②)実

願 昭56-74944

②出

願 昭56(1981)5月22日

劉実用新案登録請求の範囲

丸型の3ミリから10ミリの人造と石を・小型 モートルで・回転させ・それに・ソーチェンの目 立て角度に合うように、角度調整板を取付、目立 する、角度調整板はソーチェンの刃を一定の角度 に目立するために取付けたソーチェンの目立機で ある。

⑦考 案 者 井上重徳


人吉市下田代町699の1

⑪出 願 人 并上貞子

人吉市下田代町699-1

図面の簡単な説明

第1図は本考案の平面図で、ソーチェンの目立している状態の図面、第2図は本考案の目立機のみの横面図、第3図は本考案目立機のみの平面図。1は角度調整板、2はモートル、3は人造と石、4、4、はソーチェンの右側の刃、5は研摩する刃の深さ調整板、6は深さ調整板を調整する蝶ネジ、7はソーチェンの左側の刃。



宝器 紹57-18 |

